City of Prince George HISTORY SHEET

| Legal: LOT 18 | BLK | | DI | . 4048 | | PIAN PAPULES |
|--|-----------------|----------------|------------|--------|----------|---------------|
| | | | D.L | . 1010 | | PLAN PGP41855 |
| Address: 4626 GRAY DRIVE | | | | | | |
| Sanitary Connection:# | SIZE: 100mmø | MATERIAL: | PVC | INV. | 760.59m | CONNECTED |
| Water Connection:# | FROM MAIN: 19mm | Ø COPPER | | METE | :R | |
| Storm Connection:# | SIZE 100mme | MATERIAL | PVC | INV. | 760.54m | CONNECTED |
| Cash Receipt No's: | WATER | | SANITARY | | | STORM |
| | .0m | | | | PAVEMENT | WIDTH 10.0m |
| CURB FROM PROPERTY LINE 5. | | | | | | |
| B.C. HYDRO 75mmø DB2 | | | U/G CONNEC | TION | | |
| | | | U/G CONNEC | | | |
| B.C. HYDRO 75mmø DB2 | | | | | | |
| B.C. HYDRO 75mmø DB2 B.C. TELEPHONE 50mmø PVC | DR10 | RING LTD. JOB. | U/G CONNEC | TION | | |

NOT TO BE RELIED UPON UNLESS CONFIRMED BY THE SITE INSPECTION AND/OR INVESTIGATION 00" 392.384 270° 06' 16 17 18 1.0 III -- 200¢ SAN -200¢ SAN -250Ø STORM -250ø STM STMH 3 -150ø W -150Ø W

| SANITARY & STORM INVERT CALCULATIONS | SANITARY | | STORM |
|--|-----------------------------------|-------------|----------------------------|
| . Distance from San. M.H. 3 to connection point is toward San. M.H. 4 | 14.9 | | |
| a.Distance from Stm. M.H.3 to connection point is toward Stm. M.H.4 | | | 18.2 |
| 2. Calculated invert of main at conn. stub pt is | 759.80 | | 760.22 |
| 3. Main Size at connection point is | 200mmø | | 250mmø |
| 4. Conn. invert at half diameter (Crown) of main is | 759.90 | | 760.34 |
| 5. Add to (4) allowance of 0.2 for 1/8 bend adjusted invert now | N/A | | N/A |
| 5. Dist. from main to P/L equalsm at% gives rise of | N/A 7m @ 10.6% = 0.74m Riss | | 10m @ 2.59 = 0.25m Rise |
| 7. Item (5) plus (6) equals Calculated Elev. of conn. inv. at P/L equals | | | |
| 3. Flav. of ref. hub top | | 766.416 | |
| 4. of invert at P/line | 760.59 | | 760.54 |
| 5. Difference of cut below at property line | 2.15 | | 2.20 |
| 6. Survey Date SEPT 19 97 Book Ref. N/A by V.G. | | | 2.20 |
| 7. Cut at P/line in feet and inches | 7'11" | | 7'3" |
| | | | /3 |
| | | | |
| | | | |
| | | | |
| | | | |
| ANITARY HISTORY: | | | |
| | | | |
| | | | |
| VATER HISTORY: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| TORM HISTORY: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |