



| SANITARY, STORM & WATER SERVICE INVERTS   | SANITARY | WATER   | STORM   |
|---|----------|---------|---------|
| 1. Distance from San. M.H. <u>5368</u> toward San. M.H. <u>5367</u> to lot service connection point is: | 17.16m   | N/A     | N/A     |
| 1a.Distance from Stm. M.H. <u>3847</u> toward Stm. M.H. <u>3800</u> to lot service connection point is: | N/A      | N/A     | 12.79m  |
| 2. Main Size at connection point is   | 200mmØ   | 200mmØ  | 375mmØ  |
| 3. Invert of main at conn. stub point is  | 645.01m  | 645.75m | 644.76m |
| 4. Invert at service end is   | 646.40m  | 646.41m | 646.40m |
| 5. Cover at property line in meters   | 2.32m    | 2.45m   | 2.38m   |
| 6. Survey Date:JUNE 2015 Book Ref.:1432-03 By:L&M ENGINEERING LTD.                                      |          |         |         |
|   |          |         |         |
|   |          |         |         |
|   |          |         |         |
|   |          |         |         |
|   |          |         |         |
|   |          |         |         |
|   |          |         |         |

SANITARY HISTORY:

DATE INSTALLED: JUNE 2015

INSTALLED BY: JOE ROBERTS CONSTRUCTION & CONSULTING SERVICE LTD.

WATER HISTORY:

DATE INSTALLED: JUNE 2015

INSTALLED BY: JOE ROBERTS CONSTRUCTION & CONSULTING SERVICE LTD.

STORM HISTORY:

DATE INSTALLED: JUNE 2015

INSTALLED BY: JOE ROBERTS CONSTRUCTION & CONSULTING SERVICE LTD.